REPAIRABILITY INDEX CALCULATION AND PRESENTATION OF Robotic vacuum THE PARAMETERS WHICH ALLOWED TO ESTABLISH IT

Date of calculation	09/10/2023		
Producer's or importer's name or trademark	roborock		
Producer or importer adress	ROOM 1303 13/F TAI SANG BANK BUILDING, 130-132 DES VOEUX ROAD CENTRAL CENTRAL HK		
Producer's or importer's model identifier	Q5 Pro+		

This "FINAL_SCORE" tab in English is purely indicative. In order to meet regulatory obligations, only the "NOTE_FINALE" tab in French (see the next tab) is to be sent. Note: The results are automatically reported in the French tab.

	(see the next tab) is to be sent. Note: The results are automatically repor	teu iii tile rie	nui tau.		
Criteria	Sub-criteria	Score of subcriterion /10	Weighting factor of subcriterion	Score of criterion /20	Total criteria scores /100
CRITERION 1 : DOCUMENTATION	1.1 Availability of the technical documentation and other documentation related to user and maintenance instructions	8,5	2	16,9	
DISASSEMBLY, ACCESSIBILITY, TOOLS,	2.1 Ease of disassembly parts from List 2*	10,0	1		82,4
	2.2 Necessary tools (List 2)	10,0	0,5	20,0	
	2.3 Fasteners characteristics parts from List 1** and List 2	10,0	0,5		
CRITERION 3 : 3 AVAILABILITY OF SPARE PARTS	3.1 Availability over time parts from List 2	6,0	1		
	3.2 Availability over time parts from List 1	0	0,5	8,5	
	3.3 Delivery time parts from List 2	4,0	0,3	0,5	
	3.4 Delivery time parts from List 1	6,3	0,2		
CRITERION 4 : PRICE OF SPARE PARTS	4. Ratio between price of parts from list 2 to the price of the product	9,5	2	19,0	
CRITERION 5 : SPECIFIC CRITERION	5.1 Accesibility of usage-counter to consumers	10,0	1		
	5.2 Free remote assistance	6,0	0,5	18,0	
	5.3 Possibility to reset softwares	10,0	0,5		
Reparability index on 10					8,2

^{*} list 2: list of a maximum of 3 to 5 spare parts (depending on the category of equipment concerned) whose broken or malfunctioning parts are the most frequent;
** list 1: list of a maximum of 10 other spare parts (depending on the category of equipment concerned) whose good condition is necessary for the operation of the equipment.